



التاريخ: 2024/9/17  
الرقم: ص 2028/2024/2

رابطة الجامعيين / محافظة الخليل  
جامعة بوليتكنك فلسطين  
لجنة العطاءات المركزية  
كراسة الشروط والمواصفات الفنية لعطاء  
توريد اجهزة ومعدات

لمختبرات تخصص العلاج الطبيعي

عطاء رقم: ص 2028/2024/2

ثمن الكراسة مبلغ (NIS150)

(مائة وخمسون شيكل فقط)

استلام كراسة الشروط ابتداء من يوم الثلاثاء الموافق 2024/9/17

تسليم الكراسة يوم الثلاثاء الموافق 2024/10/1

مع أطيب أمنيات

دائرة العطاءات والمشتريات المركزية



**المحتويات :**

1	اسم العطاء	.1
2	الفهرس	.2
3	الإعلان	.3
4	ملاحظات عامة	.4
5	تعهد والالتزام	.5
6	تعليمات للمشاركين.	.6
8	عموميات وجدول المواصفات والكميات والأسعار	.7
8	معلومات عن الشركة	.8



إعلان عن عطاء  
توريد اجهزة ومعدات  
لمختبرات تخصص العلاج الطبيعي  
الرقم: 2028/2024/2



- تعلن رابطة الجامعيين/ جامعة بوليتكنك فلسطين عن طرح عطاء توريد اجهزة ومعدات لمختبرات تخصص العلاج الطبيعي ضمن الشروط والمواصفات الموضحة في كراسة وثائق العطاء، فعلى الشركات الراغبة بالدخول في العطاء إتباع الآتي: -
1. استلام الكراسة كاملةً من دائرة من العطاءات والمشتريات المركزية في مقر الجامعة/ ضاحية البلدية، مقابل دفع مبلغ (NIS 150) مائة وخمسون شيكل غير مستردة تودع في حساب رابطة الجامعيين والجامعة رقم 30300 في البنك الإسلامي الفلسطيني اعتباراً من يوم الثلاثاء الموافق 2024/9/17
  2. إرفاق شيك بنكي أو كفاله بنكية بقيمة 5% من قيمة العطاء وبطرف منفصل، على أن تكون الكفالة البنكية سارية المفعول لمدة لا تقل عن مئة وعشرين يوماً.
  3. تسليم كراسة العطاء مع كافة التفاصيل بالتطرف المختوم حتى الثانية عشرة ظهراً من يوم الثلاثاء الموافق 2024/10/1 لدائرة العطاءات والمشتريات المركزية - رابطة الجامعيين.
  4. التوريد بأسرع وقت ممكن
  5. الأسعار بالشيكل، شاملة ضريبة القيمة المضافة.
  6. الرجاء إرفاق صورة عن الفواتير الرسمية وشهادة خصم مصدر سارية المفعول مع العطاء.
  7. لجنة العطاءات غير ملزمة بقبول أقل الأسعار، وبدون إبداء الأسباب.
- لمزيد من الاستفسار يمكن الاتصال مع الدكتور اسماعيل الحلاحلة 0598038650 خلال اوقات الدوام الرسمي.

ملاحظة: - أجور الإعلان على من يرسو عليه العطاء

الادارة

### الملاحظات العامة لعطاء

توريد اجهزة ومعدات لمختبرات تخصص العلاج الطبيعي

الرقم: ص 2028/2024/2

يرجى مراعاة الآتي :-

1. يجب أن يكون المتقدم للعطاء شركة متخصصة في المجال
2. الأسعار بالشيكول، شاملة ضريبة القيمة المضافة.
3. الأسعار شاملة التوريد والتركييب والتجهيز والتشغيل والتدريب على استخدام الاجهزة
4. يرجى وضع مدة الكفالة على الأجهزة
5. الرجاء إرفاق شهادة خصم مصدر سارية المفعول مع العطاء
6. تلتزم الشركة بالتوريد بأسرع وقت ممكن
7. لجنة العطاءات غير ملزمة بقبول أقل الأسعار، وبدون إبداء الأسباب.
8. يكون السعر وفقاً للشروط الواردة في كراسة العطاء.
9. الإعلان بالجريدة وكراسة الشروط الفنية للعطاء والاتفاقية وحدة واحدة وتقرآن معاً.
10. للجنة العطاءات الحق في زيادة او إنقاص بعض الكميات
11. للجنة العطاءات الحق في تجزئة العطاء
12. أجور الإعلان على من يرسو عليه العطاء.



### تعهد وإقرار

أنا الموقع اسمي أدناه / قرأت الشروط واطلعت على المواصفات والبنود والتزمت بها التزاماً كاملاً وألتزم  
بالأسعار المقدمة من قبلي ، وأتعهد بتقديم براءة ذمة "شهادة خصم مصدر" من ضريبة الدخل سارية  
المفعول ومرفقة بالفاتورة الرسمية كما تعتبر هذه الثبوتيات أساساً لدفع المستحقات اللازمة للمورد.

وبناءً على ذلك تمت المصادقة والتوقيع.

السادة / الشركة: \_\_\_\_\_

رقم المشغل المرخص: \_\_\_\_\_

العنوان: \_\_\_\_\_

رقم الهاتف: \_\_\_\_\_

رقم الفاكس: \_\_\_\_\_

التوقيع والخاتم

## تعليمات للمشاركين بالعطاء

حضرات السادة : شركة \_\_\_\_\_ المحترمين

### توريد اجهزة ومعدات لمختبرات تخصص العلاج الطبيعي

الرقم: ص 2028/2024/2

للمشاركة في العطاء ما يلي:-

1. تعتبر مقدمة كراسة الشروط والمواصفات وإعلان الجريدة جزءاً لا يتجزأ وتقران معاً.
2. يجب على صاحب العطاء التوقيع على وثائق العطاء كما يجب ختم العرض وكافة مرفقاته بخاتم صاحب العطاء.
3. لايعتمد أي تعديل في الكراسة بسبب ما يدونه المتقدم من اشتراطات، ما لم تقبل بها لجنة العطاءات المركزية.
4. يجب على الشركة أن يضع أسعاره رقماً وكتابة على النموذج ويرفض أي عرض يحدث فيه المتقدم تشويشاً في أسعاره ، واللجنة غير مسؤولة عن أية أخطاء قد يرتكبها المتقدم في وضع الأسعار.
5. مدة صلاحية الأسعار (90) يوماً من ثاني يوم من فتح العطاء على الأقل.
6. على كل مناقص أن يرفق بالعطاء - لصالح رابطة الجامعيين- تأميناً للدخول في العطاء كفالة بنكية أو شيك مصدق من قبل البنوك المحلية بقيمة 5% خمسة بالمائة من قيمة عرضه ولا ينظر في العروض الغير معززة بتلك التأمينات.
7. في حالة تأخير المورد عن الاعمال المحالة عليه تحسب غرامات التأخير بنسبة 1.5%، عن كل يوم تأخير، ومصادرة قيمة التأمين المرفق بالعطاء وقيده إيراداً للرابطة.
8. لاحقاً لبند رقم (7) تقوم لجنة العطاءات المركزية بتنفيذ العطاء مباشرةً بالأسعار والشروط والطريقة المناسبة، من السوق المحلي مضافاً إليه (15%) من ذلك الفرق كنفقات إدارية.
9. عدم وجود أي تحفظات لها علاقة بسعر صرف العملات الأجنبية ويجب أن تكون الأسعار ثابتة حتى إتمام الالتزامات الفنية للمناقص في البند وصرف المستحقات وسيتم استبعاد أي عرض يوجد به تحفظات مرتبطة بأسعار صرف العملات الأجنبية.
10. يقدم العرض على النموذج أدناه ولا يحق إدخال أية تعديلات على وثائق العطاء. وإذا رغب الشركة تقديم ملاحظات أو عرض بديل عليه تقديم ذلك بمذكرة خاصة منفصلة شريطة تقديم العرض الأصلي كما هو، ولرابطة الجامعيين حق النظر بالمذكرة أو رفضها.

11. تكون المحاسبة وصرف جميع المستحقات للمناقص بعد الاستلام النهائي من لجنة الاستلام وعلى ضوء نتائج الفحص والاستلام حسب الأصول.
12. لا يجوز تحميل بند على بند آخر ولرابطة الجامعيين الخيار في إلغاء أي بند وتبقى أسعار البنود الأخرى ملزمة للمتزايد.
13. تعتبر الشروط العامة والفنية المطبقة في النظام العام للمشتريات جزءاً مكملاً لهذه الشروط في عطاءات رابطة الجامعيين.
14. يجوز للمناقص سحب عرضه بمذكرة موقعة منه وتودع في صندوق العطاءات قبل الموعد المحدد لفتح العطاء.
15. لا يجوز لصاحب العطاء التعديل أو المحو أو الطمس في قائمة الأسعار وأي تصحيح يجريه صاحب العرض عليها يجب إعادة كتابته رقماً وكتابة والتوقيع عليه وختمه.
16. إذا بلغت فئات الأسعار التي جرى عليها التعديل أو المحو أو الطمس أكثر من 10% من قائمة الأسعار جاز للجنة العطاءات والمشتريات المركزية استبعاد العرض.
17. يعتبر العرض المقدم من الشركة ملزماً له.
18. آخر موعد لتسليم العروض حتى الساعة الثانية عشرة ظهراً من يوم الثلاثاء الموافق 2024/10/1.

#	Item	Specifications	Qty	Unit Price	Total (NIS)	Warranty
1	Physio Ball - Available in different Sizes	<ul style="list-style-type: none"><li>• Exercise balls come in various sizes to accommodate different heights and uses.</li><li>• These balls are versatile and can be used for various exercises, including yoga, pilates, and general fitness routines. Do you have a specific use in mind for the physio ball.</li><li>• The required sizes are 45 cm, 55cm, 65cm, 75cm, 85cm.</li></ul>	5			
2	mattress	<ul style="list-style-type: none"><li>• Size 200 x 100 x 4 cm</li><li>• Anti-bacterial cover</li><li>• Material PU Leather, easy to clean</li><li>• Compressed sponge</li><li>• Easy foldable</li><li>• One year warranty</li></ul>	4			
3	Dumbbells Stand - Dumbbells	<ul style="list-style-type: none"><li>• Dumbbells set with stand</li><li>• Neoprene covered color coded</li><li>• The Mobile Weight Rack</li></ul>	2			

	sold separately	<ul style="list-style-type: none"> <li>Package also includes a set 0.5, 1, 2, 3, 4 kg - 2 each.</li> </ul>				
4	Parallel Bars (with correction panel)	<ul style="list-style-type: none"> <li>Material: steel-wood frame, carpet cover, stainless steel handrail pipe, wood correction board.</li> <li>The height and the width of the parallel bars are adjustable.</li> <li>The correction board can be changed according to different purposes.</li> <li>The carpet cover is used to protect the patients from skipping.</li> </ul>	1			
5	Pack Mobile Hydrocollator with set of hot packs	<ul style="list-style-type: none"> <li>Durable stainless steel water tanks house</li> <li>Full fiberglass insulation to prevent heat loss</li> <li>Simple to fill with water. No plumbing required</li> <li>Mobile swivel, rubber casters for free movement with brakes</li> <li>Max Tank Capacity: Around 55 L</li> <li>Temperature Range 71°-74°C</li> <li>Thermal Cut-Out Temp. 85°-87°C</li> <li>Dimensions: Approx 67 x 40 x 84 cm</li> <li>Heat up Time (to 70°C): 3 Hours</li> <li>Cool up Time (to 70°C): 2 Hours</li> <li>Energy-efficient</li> <li>Include set in different sizes of hot packs.</li> </ul>	1			
6	Freezer for Cold Pack with Set of Cold Packs	<ul style="list-style-type: none"> <li>Five cubic feet capacity with removable basket</li> <li>quickly freeze Cold Packs</li> <li>Include condensing unit</li> <li>External dimension: around 60W * 65D * 90H cm</li> <li>Power supply: 220V,50Hz</li> <li>Includes 12 different size of Cold Packs</li> </ul>	1			
7	Paraffin Heater	<ul style="list-style-type: none"> <li>Combined device – paraffinic and water bath</li> <li>Content: 20 l</li> <li>Digital regulator: 30–90 °C</li> <li>Max. output: 700 W</li> <li>Digital temperature regulator</li> <li>Capacity up to 5 hot packs</li> </ul>	1			



		<ul style="list-style-type: none"> <li>• Trolley priced separately</li> <li>• One Year Warranty.</li> </ul>				
8	CanDo digi-flex hand finger exercises	<ul style="list-style-type: none"> <li>• Develops isolated finger strength, flexibility and coordination as it builds hand and forearm strength.</li> <li>• Use each button independently to exercise fingers or compress the entire unit for complete hand and forearm strengthening.</li> <li>• Comes with illustrated manual.</li> <li>• Include durable stand Different Strength Levels</li> <li>• One Year Warranty.</li> </ul>	1			
9	Digi-Extend	<ul style="list-style-type: none"> <li>• Extension, flexion, abduction, finger blocking—a gymnasium for the hand.</li> <li>• Unique therapy device isolates extension of all five fingers and each of the individual finger joints. Also can be used for finger adduction, abduction, blocking and flexion exercises.</li> <li>• For rehabilitation of carpal tunnel, stroke, fractures, tendon injury, nerve lacerations, and tennis elbow.</li> <li>• Strengthens intrinsic and extrinsic muscle groups to maximize extensor tendon gliding, joint motion, coordination and muscle function in the hand and forearm.</li> <li>• The design makes it easy to vary hand positions for specific exercises that will help maximize patient outcomes.</li> <li>• Color-coded, latex-free elastic bands can be changed easily to provide progressive levels of resistance.</li> <li>• <b>Includes</b> 5 tan (xx-light), 4 yellow (x-light), 3 red (light) and 2 green (medium) latex-free elastic bands and an instruction booklet.</li> <li>• Latex free.</li> <li>• Price the Stand Separately.</li> </ul>	1			
10	Two Sections BoBath Table (1.2cm)	<ul style="list-style-type: none"> <li>• Electrical with two motors and remote control</li> <li>• 2 sections with breathing hall</li> <li>• Thick metal frame</li> </ul>	1			



		<ul style="list-style-type: none"> <li>• Strong and stable</li> <li>• Mat is made of foam with PVC leather cover, the cover is wearable, breathable, resistance to chemicals, soft and comfortable, easy cleanable.</li> <li>• With wheels to move the table and foot bar to lower the wheels</li> <li>• Heigh adjustable by two electrical motors</li> <li>• Backrest section tilt by gas spring</li> <li>• Dimensions: 208 x 120 x 46-92 cm</li> <li>• Backrest hit up to 87 deg.</li> <li>• Load Capacity not less than 225 Kg</li> <li>• One year warranty</li> </ul>				
11	Supreme Treadmill	<ul style="list-style-type: none"> <li>• Speed 0-16 mph.</li> <li>• selection allows for forward and reverse movement</li> <li>• Spacious running area offers plenty of space for the user</li> <li>• Provides the user with real-time</li> <li>• Biometric feedback</li> <li>• Controls and feedback are easily accessible via the tri-color</li> <li>• LED display</li> <li>• Sturdy frame</li> <li>• Design allows treadmill to support up</li> <li>• One year warranty</li> </ul>	1			
12	Wooden Wall Bar/Ladder	<ul style="list-style-type: none"> <li>• Wooden Physiotherapy bars - exercise, stretching and fitness - school, gym, professional.</li> <li>• Fixed to the wall with corners.</li> <li>• Installation hardware included.</li> <li>• Great for individual and group training.</li> <li>• Dimensions Around: H 260 * W 80 cm</li> <li>• Weight capacity: 125 kg</li> </ul>	1			
13	Manual Wheelchair	<p>Wheelchair with folding four wheels, push-handles, seat and backrest, armrests, footrests, tipping lever, and rear wheels and front castors appropriate for indoor and outdoor use</p> <ul style="list-style-type: none"> <li>• frame with mechanism(s) to fold or dismantle</li> <li>• fixed seat width: different sizes, seat</li> </ul>	5			



		<p>depth:42 cm</p> <ul style="list-style-type: none"> <li>• backrest with fixed height, at least at mid-thoracic height of user</li> <li>• two flip-up, swing-away or removable footrests with adjustable height</li> <li>• flip-up or removable armrests <ul style="list-style-type: none"> <li>• Floor to seat: 51cm</li> <li>• Back height : 44cm</li> <li>• Back tiers 33cm rad.</li> <li>• Front tiers 19cm rad.</li> </ul> </li> <li>• rear wheel diameter appropriate for size of wheelchair</li> <li>• rear wheel in line with backrest tubes (back posts) or further to rear.</li> </ul> <p>Puncture-proof rear tyres and front castors user weight:130</p>				
14	Axillary crutches - Available in Three Sizes	<ul style="list-style-type: none"> <li>• Application: Walking aid to limit weight from legs and lower body Lighter weight, provides stability and durability.</li> <li>• Double extruded center tube to provide additional strength to weight-bearing area.</li> <li>• Push-pin adjustment to adjust crutch height in 1" increments.</li> <li>• Not less than 5 push - pins.</li> <li>• Non-skid, jumbo size rubber tips .</li> <li>• Easy wing nut adjustments for hand grips. Comfortable, durable rubber underarm pad and hand grip.</li> <li>• 3 sizes</li> </ul>	10			
15	BTL-5625 Puls 2-channel Electrotherapy	<ul style="list-style-type: none"> <li>• Good brand name Manufacture in USA, EUR, or JAPAN.</li> <li>• FDA Clearance Or CE with ISO Certificates.</li> <li>• Dual Channel</li> <li>• LCD touch screen</li> <li>• Patient database</li> <li>• Programmable sequences: 50</li> <li>• Adjustable Pulse rate and duration</li> <li>• Time of therapy: 0 to 100 minutes</li> <li>• Step of setting 1 second</li> <li>• Accuracy of therapy time <math>\pm 2</math> % from the pre-set value</li> <li>• Accuracy of timer 5 second per day</li> <li>• Treatment modes: Constant Current and</li> </ul>	1			

		<p>Constant Voltage modes – CC/CV</p> <ul style="list-style-type: none"> <li>• Includes all electrodes and connections and accessories</li> </ul>				
16	High Intensity Laser -20W	<ul style="list-style-type: none"> <li>• Good brand name Made in EUR, USA or Japan</li> <li>• FDA Clearance or CE with ISO Certificates.</li> <li>• Laser therapy device equipped with probe that gives beam laser application directly to the treatment area within</li> <li>• Maximum laser output 20W</li> <li>• Adjustable therapy time 0-30 minutes</li> <li>• Adjustable laser power output 0%-100%</li> <li>• Laser diode wavelength 810 nm</li> <li>Beam divergence angle 260 mrad</li> <li>Continuous output emission</li> <li>Fixed emission frequency</li> <li>Fixed width duration</li> <li>Continuous or pulse mode of operation</li> <li>Pointing red light</li> <li>Diode probe (with reserved connection)</li> <li>Diameter of laser beams 10mm</li> </ul>	1			
17	BTL-5710 Sono 1-channel Ultrasound	<ul style="list-style-type: none"> <li>• Good brand name Manufacture in USA, EUR, or JAPAN.</li> <li>• FDA Clearance Or CE with ISO Certificates.</li> <li>• Pulsed and continuous therapy operation (10%, 20%, 30%,40% and 150%)</li> <li>• Duty cycle 5–100% (adjustable, in steps of 1%)</li> <li>• LCD display for all parameters</li> <li>• Indication menu</li> <li>• Memory not less than 10 programs</li> <li>• 1 MHz and 3 MHz heads that can be connected simultaneously</li> <li>• Continuous 2 w/cm<sup>2</sup></li> <li>• Pulsating 3 w/cm<sup>2</sup></li> <li>• BNR &lt; 5:1</li> <li>• power supply: 220 V, 50 Hz</li> <li>• Time of therapy: 0 to 30 minutes</li> <li>• Include: US head 5cm<sup>2</sup> and standard accessoties to operate the device.</li> <li>• Original Cart should be priced separtly.</li> <li>• One year warranty</li> </ul>	1			

18	TENS/EMS	<ul style="list-style-type: none"> <li>• Suitable for physiotherapy application.</li> <li>• Input voltage 220V/50Hz</li> <li>• 4 chanel: With Faradic and Galvanic types of current Independent electrotherapy (ES) channel use, 24 preset programs and free programmable areas are available</li> <li>• Pulse Waveform: Biphasic, Square pulse</li> <li>• Treatment modes: Faradic, Surged faradic, Galvanic</li> <li>• Adjustable output frequency from 10Hz to 120Hz</li> <li>• Time adjustment from 1 to 99 min</li> <li>• All seting showen on digital display</li> <li>• Current amplitude: 0-80 mA</li> <li>• Pulse width: 100-200µsec</li> <li>• Very low BNR, 2.4-3.6 according to FDA and IEC regulations.</li> <li>• Included: <ul style="list-style-type: none"> <li>• 2 Output cabels</li> <li>• 4 adhasive pad electrode</li> <li>• One year warranty</li> </ul> </li> </ul>	10			
19	Roll different sizes	<ul style="list-style-type: none"> <li>• Applications: Ideal for instructional use in physical therapy departments</li> <li>• Covered with heavy-duty vinyl-coated nylon</li> <li>• Water-resistant</li> <li>• Filled with high compression urethane foam.</li> <li>• Latex Free</li> </ul>	10			
20	Ultra Soft Vibrating Massage Tool	<p style="text-align: center;">Deep Tissue Percussion Massager</p> <ul style="list-style-type: none"> <li>• Muscle Massage Gun</li> <li>• 20 Adjustable Speeds Setting</li> <li>• LCD touch display control</li> <li>• Adjustable speeds</li> <li>• 6 different massage heads</li> <li>• Brushless High-torque Motor</li> <li>• Long Battery Life</li> </ul>	2			
21	BASELINE PLASTIC GONIOMET ER - 6-PIECE SET	<ul style="list-style-type: none"> <li>• Permits observation of a joint's axis of motion</li> <li>• Unique design adds a white line behind the measurement gradations to make the readings even easier</li> <li>• Purpose of this device is to assist in</li> </ul>	5			

		<p>physical therapy by determining range of motion of a joint</p> <ul style="list-style-type: none"> <li>• Essential tool for treatment, rehab and surgical recovery and evaluation</li> <li>• Suitable for home use as well as multi-user environments</li> </ul>				
22	JAMAR HYDRAULIC HAND GRIP DYNAMOMETER - 200LB	<ul style="list-style-type: none"> <li>• This hand evaluation set includes everything a therapist needs to diagnose hand grip strength, pinch strength, sensitivity, circumference, and other measurements related to hand injuries.</li> </ul>	5			
23	GROOVED PEGBOARD DEXTERITY TEST	<ul style="list-style-type: none"> <li>• The Grooved Pegboard is a manipulative dexterity test consisting of 25 holes with randomly positioned slots.</li> <li>• Pegs with a key along one side must be rotated to match the hole before they can be inserted.</li> <li>• This test requires more complex visual-motor coordination than most pegboard tests.</li> </ul>	1			
24	WEST HAND MONOFILAMENTS (WEINSTEIN ENHANCED SENSORY TEST)	<ul style="list-style-type: none"> <li>• The WEST-D monofilament test includes five monofilaments designed to test tactile sensitivity ranging from tactile sensation on the face to loss of protective sensation of the foot.</li> <li>• Physicians and other medical professionals use the WEST-D test to test tactual sensation at various locations.</li> </ul>	1			
25	THE BOB INCREDIBLE CALF MASTER STRETCH SYSTEM	<ul style="list-style-type: none"> <li>• Targets calf muscles for strengthening and stretching</li> <li>• Compact, durable, and portable design</li> <li>• Provides a full range of motion for dorsiflexion to plantar flexion</li> <li>• Versatile for balance training, rehabilitative efforts, and therapeutic use</li> <li>• Ideal for athletes, fitness enthusiasts, and individuals with calf muscle injuries</li> </ul>	2			
26	scissors	<ul style="list-style-type: none"> <li>• Designed to be used for a variety of purposes at home or for professional use</li> <li>• Plastic handle designed to be wiped-clean for cleaning purposes</li> </ul>	2			



27	splint water path		2			
28	heat gun	<ul style="list-style-type: none"> <li>• With an adjustable temperature from 250°-1100°F, the heat gun has a 2-speed motor and high-quality heat element to be durable and efficient.</li> <li>• The gun has a safety stand already built in to allow individuals to use both hands to manipulate splinting materials when needed.</li> <li>• An optional concentrator tip is available to direct airflow to more specific areas.</li> </ul>	2			
29	padding sheets		10			
30	revolving hole puncher	<ul style="list-style-type: none"> <li>• This excellent splinting accessory tool is ideal for punching holes into splinting material for desired needs.</li> <li>• The Revolving Punch is easy to grasp, self-opening and nickel-plated which makes punching holes easier and more efficient.</li> <li>• This product is designed to be heavy duty and can pierce through low-temperature splinting material, leather and more.</li> </ul>	3			
31	splinting sheets		20			
32	strapping material		10			
33	Theraband - SET	<ul style="list-style-type: none"> <li>• Thera-Band latex exercise band can be used independently or as part of a progressive exercise program.</li> <li>• Different Thera-Band for the resistance ratings that apply to each resistance level.</li> </ul>	5			
34	dressing stick	<ul style="list-style-type: none"> <li>• Applications: Used to help taking on &amp; off clothes, Also for a variety of tasks like putting on shirts, jackets, pants, shoes, or</li> </ul>	2			



		<p>taking off socks.</p> <ul style="list-style-type: none"> <li>• Made from a lightweight wooden dowel; with ""c"" hook for pulling zippers or shoelace loops.</li> <li>• Foam handle that can be moved up or down on the dressing stick.</li> <li>• Vinyl coating on the push/pull hook Length: 60cm Approx.</li> </ul>				
35	physical therapy different beds	<ul style="list-style-type: none"> <li>• Physical therapy treatment couch</li> <li>• 2 Section Electric Couch</li> <li>• Adjustable head section, -30 to 90 Deg.</li> <li>• Head section fitted with breathing hole and plug</li> <li>• Gas spring head section adjustment</li> <li>• Height adjustment 45-100 cm</li> <li>• Dimentions: length 200Cm, Width 70Cm approx .</li> <li>• Safe working load and lifting capacity (from minimum height) of 225Kg approx.</li> <li>• Heavy-duty retractable castors mobility with Breake</li> <li>• One Year Warranty.</li> </ul>	4			
<b>Total in NIS</b>						

المجموع كتابة:

**خاص بالشركة:-**

اسم الشركة: \_\_\_\_\_

رقم المشغل المرخص: \_\_\_\_\_

العنوان: \_\_\_\_\_

رقم الهاتف: \_\_\_\_\_ رقم جوال: \_\_\_\_\_ رقم الفاكس: \_\_\_\_\_

التوقيع والختم الرسمي